

SI. No.	Product Metabolics	Active Ingredient	Indication
31. 140.	Insulins		
			INSUPen® is to be used only with Biocon's Insugen-R Refil™,
			Insugen-N Refil™,
1	INSUPen®	INSUPen is a reusable insulin pen that can deliver insulin doses from 1 unit (0.01mL) to 60 units (0.60 mL) in increments of 1 unit.	Insugen-30/70 Refil [™] ,
		in one i dilic (0.01mL) to do dilics (0.00 mL) in increments of i dilic.	Insugen 50/50 Refil™ and BASALOG Refil™,
			refilled 3mL insulin cartridges
2	Insugen® 30/70 100 IU	Each ml contains Human Insulin (rDNA origin), IP 100 IU	To reduce blood glucose levels in all types of diabetes
3	Insugen® 50/50 100 IU Insugen® N 100 IU	Each ml contains Human Insulin (rDNA origin), IP 100 IU Each ml contains Human Insulin (rDNA origin), IP 100 IU	To reduce blood glucose levels in all types of diabetes To reduce blood glucose levels in all types of diabetes
5	Insugen® R 100 IU	Each ml contains Human Insulin (rDNA origin), IP 100 IU	To reduce blood glucose levels in all types of diabetes To reduce blood glucose levels in all types of diabetes
6	INSUGEN® 30/70 40 IU	Each ml contains Human Insulin (rDNA origin), IP 40 IU	To reduce blood glucose levels in all types of diabetes
7	INSUGEN® 50/50 40 IU	Each ml contains Human Insulin (rDNA origin), IP 40 IU	To reduce blood glucose levels in all types of diabetes
8	INSUGEN® N 40 IU INSUGEN® R 40 IU	Each ml contains Human Insulin (rDNA origin), IP 40 IU Each ml contains Human Insulin (rDNA origin), IP 40 IU	To reduce blood glucose levels in all types of diabetes To reduce blood glucose levels in all types of diabetes
10	BASALOG®	Each ml contains Insulin Glargine (rDNA Origin), 12 40 IU	To provide 24 hours basal insulin action in all types of diabetes
11	BASALOG Refil™	Each ml contains Insulin Glargine (rDNA Origin), 100 IU.	To provide 24 hours basal insulin action in all types of diabetes
12	Insugen-30/70 Refil™	Each ml contains Human Insulin (rDNA origin), 100 IU.	To reduce blood glucose levels in all types of diabetes.
13 14	Insugen-50/50 Refil™ Insugen-N Refil™	Each ml contains Human Insulin (rDNA origin), 100 IU. Each ml contains Human Insulin (rDNA origin), 100 IU.	To reduce blood glucose levels in all types of diabetes.
15	Insugen-R Refil™	Each ml contains Human Insulin (rDNA origin), 100 IU.	To reduce blood glucose levels in all types of diabetes. To reduce blood glucose levels in all types of diabetes.
		(
	Orals	Tana and a first	I
16	BLISTO®	Glimepiride 1/2/4 mg Glimepiride 1 mg + Metformin 500 mg SR & Glimepiride 2/4 mg + Metformin	For monotherapy or combination therapy of type 2 diabetes For type 2 diabetes inadequately controlled with a single drug
17	BLISTO MF®	1000 mg SR	For type 2 diabetes madequately controlled with a single drug
18	GABIL®	Gabapentin 300 mg + Methylcobalamin 500 mcg	To reduce symptoms of diabetic neuropathy
19	GMAB® Plus	GLA 100 mg + Methylcobalamin 1500 mcg + ALA 100 mg +	Nutritional supplementation in patients with diabetes
20	METADOZE-IPR®	Benfothiamine 100 mg + Elemental Zinc 15 mg	For monotherapy or combination thorapy of time 2 dishetes
20	OLISAT®	Metformin 500/850 mg IPR Orlistat 60/120 mg	For monotherapy or combination therapy of type 2 diabetes For weight reduction in overweight or obese people
22	PIODART®	Pioglitazone 15/30 mg	For monotherapy or combination therapy of type 2 diabetes
23	PIODART®-MF	Pioglitazone 15 mg + Metformin ER 500 mg	For type 2 diabetes inadequately controlled with a single drug
24	TriGPM® ZUKER®-MF	Glimepiride 1/2 mg + Pioglitazone 15 mg + Metformin 500 mg ER Gliclazide 80 mg + Metformin 500 mg SR	For type 2 diabetes inadequately controlled with a combination therapy of 2 drugs
26	VOLICOSE®	Voglibose 0.2/0.3 mg	For type 2 diabetes inadequately controlled with a single drug To reduce post-prandial plasma glucose levels in patients with diabetes
27	METADOSE® V	Voglibose 0.2/0.3 mg+ Metformin 500 mg For type 2 diabetes	For type 2 diabetes inadequately controlled with a single drug
	Linid Man		
28	Lipid Management STATIX®	Atorvastatin 10/20/40/80 mg tablets	Controls play stand abalantaya Harrala
29	STATIX® F	Atorvastatin 10/20/40/80 mg tablets Atorvastatin 10 mg + Micronised Fenofibrate 200 mg tablets	Controls elevated cholesterol levels For Diabetic Dyslipidemia
30	STATIX® - EZ	Atorvastatin 10 mg + Ezetimibe 10 mg tablets	Controls extremely high levels of cholesterol
31	BESTOR®	Rosuvastatin 5/10/20 mg tablets	For the management of Dyslipidemia and Atherosclerosis
32	BESTOR® FN	Rosuvastatin 10mg + Nanonized Fenofibrate 145 mg	In diabetes patients with combined hyperlipidmia
	Hypertension Managemen	t	
33	TELMISAT®	Telmisartan 20/40/80 mg tablets	Offers 24 hour blood pressure control
34	TELMISAT®-H	Telmisartan 40/80 mg + Hydrochlorothiazide 12.5 mg tablets	In uncontrolled Hypertension
35	TELMISAT® AM	Telmisartan 40 mg + Amlodipine 5 mg tablets	In Diabetic Hypertensives
36 37	TELMISAT® CT ZARGO®	Telmisartan 40/80mg + Chlorthalidone 12.5mg tablets Losartan Potassium 25/50 mg tablets	In Diabetic Hypertensives In hypertensive patients with CV co-morbidity
38	ZARGO® - H	Losartan Potassium 50 mg + Hydrochlorothiazide 12.5 mg tablets	In severe Hypertensive patients
39	ACTIBLOK - IPR	Metoprolol Immediate & Patterned Release 25/50/100 mg tablets	In patients of Hypertension, Angina, IHD and Heart Failure
40	ACTIBLOK AM®	Metoprolol Succinate IPR 25/50 mg +Amlodipine 5 mg tablets	In Uncontrolled Hypertension
	Management of Coronary	Artery Disease	
41	MYOKINASE®	Recombinant Streptokinase for injection 1,500,000 IU	In patients of Acute Myocardial Infarction
42	CLOTIDE®	Eptifibatide 10 ml bolus/100 ml for infusion	In ACS patients, undergoing Percutaneous Coronary Interventions
43	DYNALIX® TIROZEST™	Enoxaparin 40/60 mg Pre Filled Syringe	In patients of Acute Coronary Syndrome and Prophylaxis of Deep Vein Thrombosis
44	BIVACARD®	Tirozest HCL 5 mg/100 ml vial Bivalirudin for injection 250 mg (lyophilized)	In high risk ACS patients with NSTEMI In high risk ACS patients with NSTEMI
		Stramadin to injection 250 mg (yopimized)	in high havines padents that have high
SI. No.	Oncotherapeutics		
1	BIOMAb EGFR®	Nimotuzumab 200 mg humanized monoclonal antibody	For the treatment of locally advanced squamous cell carcinoma of head and neck, along with radiation and/or chemotherapy
2	CANMAb ™	targeting epidermal growth factor receptor Trastuzumab concentrate in lyophilised powder form for reconstitution.	for the treatment of HER2 overexpressing metastatic breast cancer.
3	Abraxane®	Paclitaxel protein-bound particles for injectable suspension (albumin-bound)	For the treatment of metastatic breast cancer
4	Evertor™	Everolimus 5 mg/10 mg For the treatment of patients with advanced	for the treatment of patients with advanced renal cell carcinoma (RCC) after failure of
5	Genxtor®	renal cell carcinoma Temsirolimus 25mg I.V	treatment with Sunitinib or Sorafenib. For the treatment of advanced renal cell carcinoma
			for the treatment of advanced renarcen carcinoma for the treatment of metastatic castration-resistant prostate cancer that acts by inhibiting
6	ABSTET		the production of testosterone from all sources
		Aprepitant is a selective high-affinity antagonist of human substance	for the treatment of established nausea and vomiting. Chronic continuous administration
7	Fosaport ™	P/neurokinin 1 (NK1) receptors. Aprepitant has little or no affinity for serotonin (5-HT3), dopamine, and corticosteroid receptors, the targets of	is not recommended
L		existing therapies for chemotherapy-induced nausea and vomiting (CINV).	
8	NUFIL Sf™	Filgrastim (Recombinant Human Granulocyte Colony Stimulating Factor) 300 µg	
9	ATSURE ®	Gemcitabine Hydrochloride - 200 mg/1 gm./ 1.4 gm.	For the treatment of Breast Cancer, Pancreatic Cancer, Non-Small Cell Lung Cancer and
	<u> </u>	<u> </u>	Ovarian cancer
SI. No.	Nephrology		
1	ERYPRO™	Recombinant Human Erythropoietin Alpha injection in strengths of	For the treatment of patients with anemia due to chronic renal failure,
		2000/4000/10000 IU Recombinant Human Erythropoietin Alpha injection in strengths of	either on dialysis or not on dialysis For the treatment of patients with anemia due to chronic renal failure,
2	ERYPRO safe™	2000/3000/4000/5000/6000/10000 IU	either on dialysis or not on dialysis
3	ERYPRO™ – PREFIL	Recombinant Human Erythropoietin Alpha 2000/4000 IU	For the treatment of patients with anemia due to chronic renal failure,
4	TACROGRAF™	Tacrolimus .25/0.5/1/2 mg capsules	either on dialysis or not on dialysis Prophylaxis of organ rejection in patients receiving allogenic liver, kidney or heart
			Prophylaxis of organ rejection in patients receiving allogenic liver, kidney or neart Prophylaxis of organ rejection in patients aged 13yrs or older receiving renal
5	RAPACAN™	Sirolimus 1mg tablets	transplantation
6	Advacan™	Everolimus 0.25/0.5 mg tablets	Prophylaxis of organ rejection in adult patients at low to moderate immunologic
	CYCLOPHIL ME®	Cyclosporine Oral Solution USP 100 mg/ml	risk receiving a kidney or cardiac transplantation Prophylaxis of organ rejection in kidney, liver and heart allogenic transplantation
7	(ORAL SOLUTION)	cyclosporine Oral Solution OSP 100 Hig/MI	rrophylaxis of organi rejection in kiuney, liver and neart allogenic transplantation
8	CYCLOPHIL ME®	Cyclosporine USP 25/50/100 mg capsules	Prophylaxis of organ rejection in kidney, liver and heart allogenic transplantation
9	RENODAPT®	Mycophenolate Mofetil 250 mg capsules and 500/750 mg tablets	Prophylaxis of organ rejection in patients receiving allogenic renal,
10	RENODAPT®-S	Mycophenolic Acid 180/360 mg tablets	heart or liver transplantation Prophylaxis of organ rejection in patients receiving allogenic renal transplantation
11			Control of serum phosphorous in patients with chronic kidney disease on dialysis
1 1	biOSEV™	Sevelamer HCI 400/800 mg tablets	
11	biOSEV™ biOSEV™ C	Sevelamer HCl 400/800 mg tablets Sevelamer HCl 400/800 mg tablets	
			Treatment of hyperphosphatemia Nutritional supplement in patients of chronic renal failure, including patients on dialysis
12	biOSEV™ C	Sevelamer HCI 400/800 mg tablets Whey protein supplement fortified with vitamins and minerals, 200 gm tin	Treatment of hyperphosphatemia Nutritional supplement in patients of chronic renal failure, including patients on dialysis
12	biOSEV™ C	Sevelamer HCl 400/800 mg tablets	Treatment of hyperphosphatemia
12 13	biOSEV™ C Narita™+ Narita™ HP	Sevelamer HCI 400/800 mg tablets Whey protein supplement fortified with vitamins and minerals, 200 gm tin	Treatment of hyperphosphatemia Nutritional supplement in patients of chronic renal failure, including patients on dialysis
12	biOSEV™ C Narita™+	Sevelamer HCI 400/800 mg tablets Whey protein supplement fortified with vitamins and minerals, 200 gm tin Whey protein supplement fortified with vitamins and minerals, 200 gm tin	Treatment of hyperphosphatemia Nutritional supplement in patients of chronic renal failure, including patients on dialysis Nutritional supplement in patients of chronic renal failure, including patients on dialysis

16	FeVein™	Each 5 mL ampoule contains: Ferric Hydroxide in complex with Sucrose, equivalent to Elemental Iron 100 mg Water for injection IP q. s.	Fevein is the brand name for Iron Sucrose Injection. It contains iron sucrose, a form of the mineral iron. Iron is important for many functions in the body, especially for the transport of oxygen in the blood.
17	NEPORIN™	Heparin Sodium 5000/25000 IU	For adequate anticoagulation in haemodialysis
		to treat cytomegalovirus (CMV) retinitis in people who have acquired immunodeficiency syndrome (AIDS). When CMV virus infects the eyes, it is	to treat cytomegalovirus (CMV) retinitis in people who have acquired immunodeficiency syndrome (AIDS). When CMV virus infects the eyes, it is called CMV retinitis. If CMV
18	CYMGAL®	called CMV retinitis. If CMV retinitis is left untreated, it can cause blindness.	retinitis is left untreated, it can cause blindness.
		•	
SI. No.	Comprehensive Care		
1	IVNEX™ Safe	Human Normal Immunoglobulin for Intravenous Administration Ph. Eur. 5g	Primary Immunodeficiency Diseases, Guillain Barre Syndrome, Idiopathic Thrombocytopenic Purpura, Kawasaki Disease
1	CASOGYN®	Casogyn 50 & 70	Treatment of invasive candidiasis, Treatment of invasive aspergillosis who are refractory to other antifungals, Empirical therapy for fungal infections (such as Candida or Aspergillus) in febrile neutropenia patients
2	NUCYTIN NDD	1g of Meropenem, 100ml of 0.9% NaCl Sodium Chloride for Intravenous Infusion, IV Set and Connector	Skin and Skin Structure Infections, Intra-abdominal Infections, Bacterial Meningitis
3	MICELUM NDD	1 vial of Micelum NDD containing 500mg of Imipenem and 500mg of Cilastatin, 100ml of 0.9% NaCl Sodium Chloride Intravenous Infusion, IV Set	Lower respiratory tract infections, Urinary tract infections, Intra-abdominal infections, Gyneacologic infections, Bacterial septicemia, Bone and joint infections, Skin and skin
		and Connector Each 100mL contains:	structure infections, Endocarditis
4	DDOLOD	Paracetamol IP1.0% w/v	Management of mild to moderate pain, Management of moderate to severe pain with
-	PROLOP	Mannitol IP5.0%w/v	adjunctive opioid analgesics, Reduction of fever
		Water for injections IPq.s.	Pharyngitis/tonsillitis, Acute bacterial otitis media, Acute bacterial maxillary sinusitis,
5	FERVAY	FERVAY-250™ & 500™	Acute bacterial exacerbations of chronic bronchitis and Secondary bacterial infections of acute bronchitis, Uncomplicated skin and skin-structure infections, Uncomplicated uninary tract infections, Uncomplicated gonorrhea, Early lyme disease
6	FERVAY	FERVAY 1.5 g & FERVAY 750 mg	Lower respiratory tract infections, Urinary tract infections, Skin and soft tissue infections, Bone and joint infections, Septicaemia, Meningitis, Gonorrhea, Prophylaxis against post-
7	KOOLISTIN	KOOLISTIN®1MIU & 2MIU	Serious infections caused by Gram-negative bacteria, including those of the lower
	NOOEI31IIN	NOOLISTIN TIVIIO & ZIVIIO	respiratory tract and urinary tract, where commonly used antibacterial agent may be ineffective because of bacterial resistance.
	· · · · · · · · · · · · · · · · · · ·		Upper Respiratory Tract Infections (including ENT): tonsillitis, sinusitis, otitis media, Lower Respiratory Tract Infections: acute exacerbations of chronic bronchitis, lobar- and broncho
			pneumonia, Genito-urinary Tract Infections: cystitis, urethritis, pyelonephritis, female
8	OGMIOS	OGMIOS – 1000MG+200MG INJ	genital infections, Skin and Soft Tissue Infections, Bone and Joint Infections: osteomyelitis,
			Other Infections: septic abortion, puerperal sepsis, intra-abdominal sepsis, septicaemia, peritonitis, post-surgical infections, Prophylaxis against infection, which may be associated
			with major surgical procedures such as gastrointestinal, pelvic, head and neck, cardiac,
			renal. ioint replacement and biliarv tract surgerv Acute bacterial sinusitis (adequately diagnosed), Acute otitis media, Acute exacerbations
			of chronic bronchitis (adequately diagnosed), Community acquired pneumonia, Cystitis,
9	OGMIOS	OGMIOS – 500MG+125MG TABS	Pyelonephritis, Skin and soft tissue infections in particular cellulitis, animal bites, severe dental abscess with spreading cellulitis,
			Bone and joint infections in particular osteomyelitis
		DAPTOMYCIN 350MG Each vial contains:	Complicated skin and skin structure infections and Staphylococcus aureus bloodstream
10	DAPTOBIO™	Daptomycin 350 mg	infections (bacteremia), including those with right-sided infective endocarditis
		Sodium Hydroxide (for pH adjustment) IP q.s 1 vial of Vonfung NDD containing 200mg of voriconazole	
11	VONFUNG NDD	100ml of 0.9% NaCl Sodium Chloride Intravenous Infusion	Invasive aspergillosis, Candidemia (nonneutropenics) and disseminated candidiasis in skin, abdomen, kidney, bladder wall, and wounds, Esophageal candidiasis
		IV Set and Connector	Nosocomial pneumonia, including ventilator-associated pneumonia (VAP), Complicated
12	DORIPLUG	Doripenem monohydrate equivalent to 500 mg doripenem	intra-abdominal infections, Complicated urinary tract infections (UTI), including pvelonephritis and concurrent bacteremia
13	TIGEPLUG	Tigecycline 50mg Excipients q.s.	Complicated skin and soft tissue infections, Complicated intra-abdominal infections
		Cytosorb is an extracorporeal cytokine filter, which helps in removal of excess cytokines causing Multi Organ Failure in Sepsis patient. This device is	
14	CYTO SORB	developed by CYTOSORBENTS CORPORATION –USA, has received CE approval	In the management of Sepsis
14	CITO SOND	for usage in European countries for sepsis management. Studies done in	in the management of Sepsis
		European countries (European sepsis study) have established the safety of this device in sepsis patient and also showed significant reduction in Cytokines	
			Bleeding oesophageal Varices; Bleeding in gastrointestinal and urogenital systems such as gastric and duodenal ulcerations, functional and similar types of metrorrhagia, etc.;
15	THINWES	Each 10 ml contains: Terlipressin (as acetate) 1mg	Bleeding as a result of surgery particularly of the abdominal and pelvic area; Local
			application in gynaecological operations, such as cervix porta uteri.
			Chronic hepatitis B in adults and pediatric patients 12 years and older; In combination
16	HEPDOZE	Tenofovir disoproxil fumarate IP 300mg	with other antiretroviral agents, for the treatment of HIV-1 infection in adults and pediatric patients 2 years and older.
	· · · · · · · · · · · · · · · · · · ·	VARIOCT™ 50: Each mL contains Octreotide Acetate equivalent to Octreotide 50 mcg.	Acromegaly; Carcinoid tumors; Vasoactive intestinal peptide tumors
17	VARIOCT	VARIOCT™ 100: Each mL contains Octreotide Acetate equivalent to	
		Octreotide 100 mcg.	Neurological conditions; Collagen diseases; Dermatologic diseases; Severe, intractable
18	STERONEX	STERONEX 125/500/1000 mg INJECTIONS	allergic states; Rheumatic disorders; Inflammatory bowel diseases; Respiratory disorders;
10	CELDINA®	Cofonimo 1a	Hematologic disorders; Neoplastic disorders; Renal disease; Other conditions Pneumonia; Febrile Neutropenia; Urinary Tract Infections; Uncomplicated Skin and Skin
19	CELRIM® CELRIM TZ®	Cefepime 1g Cefepime 1g & Tazo bactam 0.125 g	Structure; Infections; Complicated Intra-abdominal Infections
20	Biopiper TZ™	Piperacillin 4 g & Tazobactam 0.125 g	Urinary tract infections; Skin and skin structure infections and Complicated intra- Intra-abdominal Infections; Skin and skin structure infections; Postpartum endometritis or
			pelvic inflammatory disease; Community-acquired pneumonia Intra-abdominal Infections; Skin and skin structure infections; Postpartum endometritis or
22	Biopiper TZ™ 2.25	Piperacillin 2g and tazobactam 250mg	pelvic inflammatory disease; Community-acquired pneumonia
23	PENMER® - 500 PENMER®	Meropenem 1g Meropenem 1g	Skin and Skin Structure Infections; Intra-abdominal Infections; Bacterial Meningitis Skin and Skin Structure Infections; Intra-abdominal Infections; Bacterial Meningitis
25	IMICELUM™	Imipenem 500 mg & Cilastatin 500 mg	Lower respiratory tract infections; Urinary tract infections; Intra-abdominal infections; Gyneacologic infections; Bacterial septicemia; Bone and joint infections; Skin and skin structure infections; Endocarditis
26	ENTAVAR™	Linezolid I.V 200 mg/300 ml	In Gram-Positive infections: VRE infections; Nosocomial pneumonia; Skin and skin
27	ENTAVAR™ – 600	Linezolid Tablet 600 mg	structure infections; Diabetic foot infections In Gram-Positive infections: VRE infections; Nosocomial pneumonia; Skin and skin
	555		structure infections; Diabetic foot infections Lower respiratory tract infections; Acute bacterial otitis media; Skin and skin structure
28	SUPRAVA™	Ceftriaxone 500mg / 1g	infections; Urinary tract infections; Bone and joint infections; Intra-abdominal infections;
29	SUPRAVA TZ™	Ceftriaxone 1 g + Tazobactam 125mg	Meningitis; Surgical prophylaxis Lower respiratory tract infections; community-acquired pneumonia; Acute bacterial otitis
			media; Skin and skin structure infections; Urinary tract infections; Uncomplicated Respiratory Tract Infections; Urinary Tract Infections; Intra-abdominal infections; Skin and
30	CEGAVA™	Cefoperazone 1g and Sulbactam 500mg 2. Cefoperazone 500mg and Sulbacta	Soft Tissue Infections; Bone and Joint Infections; Pelvic Inflammatory Disease

31	CEGAVA TZ ™		Respiratory Tract Infections, Urinary Tract Infections, Intra-abdominal infections, Intra- abdominal infections, Skin and Soft Tissue Infections, Bone and Joint Infections
32	TECONIN™		Gram positive infections in the following: skin and soft tissue infections, urinary tract
			infections, lower respiratory tract infections, joint and bone infections, septicaemia,
33	THINLA™	Heparin 5000 IU / 25000IU	Dialysis and continuous venomous hemofiltration, As prophylaxis in ACS, PCI, DVT
34	MATABAC™		Acinetobacter induced: Nosocomial Pneumonia, Bacteremia, UTI, Surgical Site wound
			infections, Post neurological meningitis
35	ZOMATOR™	Somatostatin 250 mcg and 3 mg	Bleeding oesophageal Varices, Non variceal upper GI bleeding, Treatment of
			postoperative complications and prophylaxis following pancreatic surgery, Treatment of
			intestinal, biliary and pancreatic fistulae

SI. No.	mmunotherapy				
1	ALZUMAb™	Each vial contains 25 mg of itolizumab.	A novel biologic for the treatment of moderate-to-severe psoriasis.		
		Itolizumab is a humanized recombinant anti-CD-6 monoclonal antibody.	ALZUMAb™ is indicated for the treatment of patients with active moderate to severe		
		Each mL contains 5 mg of itolizumab for intravenous use.	chronic plaque psoriasis who are candidates for systemic therapy.		
3	TBIS®	Tacrolimus ointment 0.03%/0.1% w/w	Moderate to Severe Dermatitis		
2	PICON®	Pimecrolimus cream 1% w/w	Mild to Moderate atopic Dermatitis		
6	PSORID™	Cyclosporin capsules 25/50/100 mg Cyclosporin oral solution 100 mg/ml	Severe Psoriasis		
4	CALPSOR™	Calcipotriol ointment 0.005%w/w	Mild to Moderate Plaque Psoriasis		
5	CALPSOR™C	Calcipotriol ointment 0.005%w/w + Clobetasol Propionate 0.05% w/w	Moderate to Severe Plaque Psoriasis		